

Write your name here

Surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

Mechanics M3

Advanced/Advanced Subsidiary

Wednesday 10 January 2018 – Afternoon

Time: 1 hour 30 minutes

Paper Reference

WME03/01**You must have:**

Mathematical Formulae and Statistical Tables (Blue)

Total Marks

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Whenever a numerical value of g is required, take $g = 9.8 \text{ m s}^{-2}$, and give your answer to either two significant figures or three significant figures.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P51302A

©2018 Pearson Education Ltd.

1/1/1/



Pearson

1.




Figure 1

A uniform solid S consists of a right solid circular cone of base radius r and a right solid cylinder, also of radius r . The cone has height $4h$ and the centre of the plane face of the cone is O . The cylinder has height $3h$. The cone and cylinder are joined so that the plane face of the cone coincides with one of the plane faces of the cylinder, as shown in Figure 1.

Find the distance from O to the centre of mass of S .

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



1



Leave
blank

2. A particle of mass 0.9 kg is attached to one end of a light elastic string, of natural length 1.2 m and modulus of elasticity 29.4 N . The other end of the string is attached to a fixed point A on a ceiling.

The particle is held at A and then released from rest. The particle first comes to instantaneous rest at the point B .

Find the distance AB .

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Q2

(Total 5 marks)



Leave
blank

3. A particle P of mass 0.4 kg moves along the x -axis in the positive direction. At time $t = 0$, P passes through the origin O with speed 10 m s^{-1} . At time t seconds P is x metres from O and the speed of P is $v \text{ m s}^{-1}$. The resultant force acting on P has magnitude $\frac{8}{(t+4)^2}$ N and is directed towards O .

(a) Show that $v = \frac{20}{t+4} + 5$ (5)

When $v = 6$, $x = a + b \ln 5$, where a and b are integers.

(b) Using algebraic integration, find the value of a and the value of b . (5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank**Question 3 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 1 3 0 2 A 0 7 2 8

DO NOT WRITE IN THIS AREA

Leave
blank**Question 3 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total 10 marks)**Q3**

4.




Figure 2

A small smooth bead P is threaded on a light inextensible string of length $8a$. One end of the string is attached to a fixed point A on a smooth horizontal table. The other end of the string is attached to the fixed point B , where B is vertically above A and $AB = 4a$, as shown in Figure 2. The bead moves with constant angular speed, in a horizontal circle, centre A , with AP horizontal. The bead remains in contact with the table and both parts of the string, AP and BP , are taut. The time for P to complete one revolution is S .

Show that $S \geq \pi \sqrt{\frac{6a}{g}}$ (12)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Turn over

Leave
blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


Question 4 continued

Lined area for writing the answer to Question 4.



Q4

(Total 12 marks)



5.


**Figure 3**

Figure 3 shows the finite region R which is bounded by part of the curve with equation $y = \sin x$, the x -axis and the line with equation $x = \frac{\pi}{2}$. A uniform solid S is formed by rotating R through 2π radians about the x -axis.

Using algebraic integration,

(a) show that the volume of S is $\frac{\pi^2}{4}$ (4)

(b) find, in terms of π , the x coordinate of the centre of mass of S . (7)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Turn over

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 5 continued

Q5

(Total 11 marks)



Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Turn over

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.



Q6

7.




Figure 5

(a) Show that $AO = 2.7 \text{ m}$.

(b) Show that P moves with simple harmonic motion about centre O . (5)

Given that P first comes to instantaneous rest at the point C where $AC = 2.9$ m,

- (c) (i) find the value of J ,
- (ii) find the time taken by P to travel a total distance of 0.5 m from when it first leaves O .
- (8)**



Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Turn over

Leave
blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

Lined area for writing the answer to Question 7.



Leave
blank**Question 7 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank**Question 7 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 1 3 0 2 A 0 2 7 2 8

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Q7

END